




GOVERNING CODE 1994 UBC
SEISMIC ZONE 2B
SOIL BEARING 1500 PSF
CONCRETE (ALL) 2500 PSI
METALS

ROLLED SHAPES AND PLATES
PIPES
STRUCTURAL TUBING
10 GAGE BENT PLATE

$F_y=36$ KSI
 $F_y=36$ KSI
 $F_y=46$ KSI
 $F_y=50$ KSI

CONSTRUCTION TYPE II-N
OCCUPANCY M1



1

PANEL TO FRAME CONNECTION

2

TELEPHONE MOUNTING DETAIL

3

PERFORATED PANEL TO FRAME

APPROVED: ORIGINAL SIGNATURE ON FILE
AT THE CITY OF TEMPE
DEPUTY PUBLIC WORKS MANAGER
TRANSPORTATION

DATE

APPROVED: _____
DEPUTY PUBLIC WORKS MANAGER
CITY ENGINEER

DATE



CITY OF TEMPE
PUBLIC WORKS DEPARTMENT

STANDARD BUS SHELTER
CONNECTION DETAILS I-3

ASSEMBLY DRAWING ONLY
SPECS AND DESIGN BY
REID & ASSOCIATES
TEMPE, AZ

DETAIL T-654
5 OF 12
REVISED 2001